

【X】

■	Xanthan gum / キサンタンガム	[11138-66-2]	
	2400-1330	25g	4,840
■	Xanthene / キサンテン		
	$C_{13}H_{10}O = 182.22$	[92-83-1]	
	2400-1132 98%	25g	21,670
■	Xanthine / キサンチン		
	$C_5H_4N_4O_2 = 152.11$	[69-89-6]	
	2400-2232 98% 一級.....	25g	15,170
●	Xanthogenic acid potassium salt → Potassium xanthogenate		
■	Xanthone / キサントン		
	$C_{13}H_8O_2 = 196.21$	[90-47-1]	
	2400-3132 98% 特級.....	25g	10,340
■	Xanthosine dihydrate / キサントシン二水和物		
	$C_{10}H_{12}N_4O_6 \cdot 2H_2O = 320.26$	[146-80-5]	
	2403-0112 98% 特級.....	100mg	3,500
■	Xanthotoxin / キサントトキシン		
	$C_{12}H_8N_4 = 216.19$	[298-81-7]	
	2403-1112 98% 一級.....	100mg	3,000
	2403-2112 98% 一級.....	1g	10,840
■	Xanthydrol / キサントヒドロール		
	$C_{13}H_{10}O_2 = 198.22$	[90-46-0]	
	2400-4221 一級.....	5g	18,340
■	Xanthydrol (10% methanol) / キサントヒドロール (10%メタノール溶液)		
	$C_{13}H_{10}O_2 = 198.22$	[90-46-0]	
	[指針番号: 131 * 国連番号: 1230]		
	2400-5222	25ml	14,340
●	XB- I → Xylidyl blue I		
●	XO → Xylenol orange		
■	Xylene / キシレン		
	$C_6H_4(CH_3)_2 = 106.17$	[1330-20-7]	
	[指針番号: 130 * 国連番号: 1307]		
	2401-0150 特級.....	500ml	1,170
	2401-0160 特級.....	1,000ml	
	2401-1170 特級.....	3L	5,840

■ Xylene / キシレン

2401-2180	特級.....	15kg	
2401-3250	[一級].....	500ml	1,000
2401-3260	[一級].....	1,000ml	
2401-4270	[一級].....	3L	5,420
2401-5280	[一級].....	15kg	
2401-5290	[一級].....	170kg	
2401-5380	15kg	
2401-6650	電子工業用(SE).....	500ml	
2401-7660	電子工業用(SE).....	1,000ml	
2401-8670	電子工業用(SE).....	3L	

■ o-Xylene / o-キシレン

危険 劇 危4-2 $C_6H_4(CH_3)_2 = 106.17$ [95-47-6]



[指針番号:130 * 国連番号:1307]

2402-0122	98% 特級.....	25ml	2,340
2402-1150	98% 特級.....	500ml	3,000
2402-2250	97% 一級.....	500ml	

■ m-Xylene / m-キシレン

危険 劇 危4-2 $C_6H_4(CH_3)_2 = 106.17$ [108-38-3]



[指針番号:130 * 国連番号:1307]

2402-3150	98% 特級.....	500ml	3,000
2402-4250	97% 一級.....	500ml	

■ p-Xylene / p-キシレン

危険 劇 危4-2 $C_6H_4(CH_3)_2 = 106.17$ [106-42-3]



[指針番号:130 * 国連番号:1307]

2402-5150	98% 特級.....	500ml	3,000
2402-5190	98% 特級.....	170kg	
2402-6250	97% 一級.....	500ml	
2402-6260	97% 一級.....	1,000ml	

■ Xylenecyanol FF / キシレンシアノール FF

$C_{25}H_{27}N_2NaO_6S_2 = 538.623$ [2650-17-1]

2400-9121	[特級].....	5g	10,000
2400-9332	25g	15,500

■ o-Xylenol (3,4-〃) / o-キシレノール(3,4-〃)




$(CH_3)_2C_6H_3OH = 122.17$ [95-65-8]

[指針番号:153 * 国連番号:2261]

2402-7132	98% 特級.....	25g	4,500
-----------	-------------	-----	-------


■ m-Xylenol (3, 5- ") / m-キシレノール(3, 5- ")



[指針番号:153 * 国連番号:2261]

2402-8132 99% 特級..... 25g 4,840

■ p-Xylenol (2, 5- ") / p-キシレノール(2, 5- ")



[指針番号:153 * 国連番号:2261]

2402-9132 98% 特級..... 25g 3,170

■ p-Xylenol blue / p-キシレノールブルー



2304-3122 98% 特級..... 1g 4,170

2304-4132 98% 特級..... 25g 30,840

■ p-Xylenol blue solution / p-キシレノールブルー溶液




危4-ア



[指針番号:127 * 国連番号:1170]

2404-5952 pH測定用..... 500ml 5,670

■ Xylenol orange / キシレノールオレンジ



2403-0126 [特級]..... 1g 4,340

■ Xylenol orange solution / キシレノールオレンジ溶液

2403-0946 滴定用..... 100ml 2,340

◆ Xylidine, mixture (Dimethylaniline, mixture) /

キシリジン、混合物(ジメチルアニリン、混合物)



危4-3

[1300-73-8]


[指針番号:153 * 国連番号:1711]

2403-1332 25ml 2,670

■ 2,3-Xylidine / 2,3-キシリジン



危4-3




[指針番号:153 * 国連番号:1711]

2403-2132 99% 25g 3,670

■ 2,6-Xylidine / 2,6-キシリジン




危4-3



[指針番号:153 * 国連番号:1711]

2403-3132 99% 25ml 3,340

■ 3,4-Xylidine / 3,4-キシリジン




[指針番号:153 * 国連番号:3452]

2403-4132 99% 一級..... 25g 5,000

■ 3,5-Xylidine / 3,5-キシリジン




危4-3



[指針番号:153 * 国連番号:1711]


2403-5332 98%..... 25ml 5,170

■ 2,3-Xylidine hydrochloride / 2,3-キシリジン塩酸塩




2400-4232 98% 一級..... 25g 15,340

■ 2,6-Xylidine hydrochloride / 2,6-キシリジン塩酸塩




2400-6132 98% 特級..... 25g 13,670

■ m-Xylidine hydrochloride / m-キシリジン塩酸塩



2400-7132 98% 特級..... 25g 13,670

■ Xylidyl blue I sodium salt / キシリジルブルー I ナトリウム



2403-6321 1g 6,500

● Xylol → Xylene

■ D(+)-Xylose / D(+)-キシロース



2403-8150 98% 特級..... 500g 7,340

◆ Xylylazo violet I / キシリルアゾバイオレット I

[14936-97-1]

2403-6321 1g 6,500

■ Xylylazo violet II / キシリルアゾバイオレット II




2404-8322 1g 12,840

■ m-Xylylenediamine / m-キシリレンジアミン



危4-3



[指針番号:153 * 国連番号:2735]


2404-9232 98% 一級..... 25g 5,170

2405-0252 98% 一級..... 500g 22,000

■ p-Xylylenediamine / p-キシリレンジアミン



有害性 腐食性



[指針番号:154 * 国連番号:3259]

2405-1232 99% 一級..... 25g 10,840

■ p-Xylylene glycol / p-キシリレングリコール



2405-2132 99% 特級..... 25g 4,000